



piccolo[®]
small is BIG
Porcelain Mosaic

Velvet
Gloss effect

Reflection

Velvet











Elegance, Functionality & Freedom of design

"PICCOLO" is a new, impressive and colourful range of porcelain mosaics. This professionally crafted porcelain mosaic gets value addition in fully automated state-of-the-art Italian current generation machineries. PICCOLO porcelain mosaics are a cultivation of a feeling, creation of expectation & excitement, a promise of quality & service – an emotional response to architectural needs with different looks and colours.

PICCOLO empowers you to think of mixing & merging of different sizes, looks and colours to make very imaginative, vivid, subtle and colourful creations. The style, trendy look, and, visual effects of PICCOLO can be extensively used in enhancing the experience of different surfaces in interiors as well as exteriors. PICCOLO has deep thinking & believes in **small is BIG** concept. Use of PICCOLO porcelain mosaic gives a seamless effect after installation and thus will make a small area look larger!











Velvet, gloss effect, is available in 2.5 x 2.5 | 5 x 5 | 10 x 10 cm ; 2.5 x 5 | 5 x 10 cm formats with 73 colours to cater the taste and preference of different sections of society.

It is said, 'beauty enters the mind through the eyes' so let's move forward and experience this magnificent and charming beauty of PICCOLO porcelain mosaic to have a permanent place in our heart and mind.

DURABILITY		Porcelain Body < 0.5 % water absorption	DESIGN CUSTOMISATION		Techniques Sizes Looks Colours
STRENGTH		8 mm Thickness for better strength	SEAMLESS EFFECT		Mosaic application creates seamless effect.
SAFETY		Grip On Floor for better grip in wet areas.	SIZE COMPATIBILITY		30 x 30 cm sheet size Better compatibility with ceramic tile size.
TECHNIQUE		Aligned Classic Modular More follows...	SURFACE COMPATIBILITY		8 mm thickness Better compatibility with ceramic tile surface.
ADAPTABILITY		Easy to fix on curved surfaces	OPTIONS		1000+ to explore 7 sizes 5 looks 100+ colours



DIMENSION & WEIGHT									
Particulars		Aligned							Classic / Modular
		2.5 x 2.5 cm	2.5 x 5 cm	2.5 x 7.5 cm*	5 x 5 cm	5 x 10 cm	7.5 x 7.5 cm*	10 x 10 cm	Design dependent
Mosaic	Nominal Size	2.5 x 2.5 cm	2.5 x 5 cm	2.5 x 7.5 cm	5.07 x 5.07 cm	5.07 x 10.07 cm	7.6 x 7.6 cm	10.1 x 10.1 cm	Design dependent
	Actual Size	2.34 x 2.34 cm	2.34 x 4.84 cm	2.34 x 7.34 cm	4.84 x 4.84 cm	4.84 x 9.84 cm	7.34 x 7.34 cm	9.84 x 9.84 cm	Design dependent
	Thickness	~ 8 mm							
Sheet	Mosaic Pcs.	12 x 12 = 144 Pcs.	12 x 6 = 72 Pcs.	12 x 4 = 48 Pcs.	6 x 6 = 36 Pcs.	6 x 3 = 18 Pcs.	4 x 4 = 16 Pcs.	3 x 3 = 9 Pcs.	Design dependent
	Nominal Size	30 x 30 cm	30 x 30 cm	30 x 30 cm	30.42 x 30.42 cm	30.42 x 30.21 cm	30.42 x 30.42 cm	30.42 x 30.42 cm	Design dependent
	Actual Size	29.84 x 29.84 cm	29.84 x 29.84 cm	29.84 x 29.84 cm	30.19 x 30.19 cm	30.19 x 29.98 cm	30.15 x 30.15 cm	30.12 x 30.12 cm	Design dependent
	Joint Gap	~ 1.6 mm	~ 1.6 mm	~ 1.6 mm	~ 2.30 mm	~ 2.30 mm	~ 2.65 mm	~ 3.0 mm	~ 1.6 mm
	Coverage	0.090m ² / 0.969ft ²	0.090m ² / 0.969ft ²	0.090m ² / 0.969ft ²	0.093m ² / 0.996ft ²	0.092m ² / 0.989ft ²	0.093m ² / 0.996ft ²	0.093m ² / 0.996ft ²	Design dependent
	Weight	~ 1.500 kgs							
Sq.Mtr.	No. of sheets	~ 11							
	Weight	~ 16.500 kgs							

TECHNICAL CHARACTERISTICS & TEST DATA			
	WATER ABSORPTION	ISO 10545-3	≤ 0.5%
	BREAKING STRENGTH	ISO 10545-4	Passes
	MODULUS OF RUPTURE	ISO 10545-4	Passes
	RESISTANCE TO GLAZE ABRASION	ISO 10545-7	Resistant
	RESISTANCE TO THERMAL SHOCK	ISO 10545-9	Resistant
	RESISTANCE TO GLAZE CRACKING	ISO 10545-11	Resistant
	RESISTANCE TO FROST	ISO 10545-12	Resistant
	RESISTANCE TO CHEMICAL ATTACK	ISO 10545-13	Resistant
	RESISTANCE TO STAIN	ISO 10545-14	Resistant
	LIGHT AND COLOUR FASTNESS	DIN 51094 / SS301	Passes


*Available in 'Aqua' collection

Mosaic colours shown here are purely indicative, tonal variation is an inherent characteristics of any fired product.


Aesthetic Classes



CV1 Very Uniform Appearance



CV2 Uniform Appearance



CV3 Slight Variation



CV4 Moderate Variation




CV5 Substantial Variation



Decoration Classic

Customisation

Being an architect or interior designer, you would like to customise your imagination from project to project. PICCOLO porcelain mosaic can facilitate you in this concern as PICCOLO is having equipped design studio to convert your design imagination into reality.



Decoration Modular

Technique

Apart from universally propagated aligned technique, availability of classic and modular techniques, in PICCOLO, creates an edge to explore infinite possibilities in evolving any design / pattern and gives unique and multi dimensional view into the perception of design.



Plain Aligned

Durable

PICCOLO porcelain mosaic being dry pressed mosaics falling under the group of B1a as specified under European norm, EN 14411, having less than 0.5% water absorption makes the product more robust and durable.



Decoration Aligned

Seamless Effect

PICCOLO has deep thinking & believes in *small is BIG* concept. Use of PICCOLO porcelain mosaic gives a seamless effect after installation and thus makes a small area look larger!

piccolo[®]

small is BIG

Porcelain Mosaic

Velvet Gloss effect

■ 2.5 x 2.5 cm | 5 x 5 cm | 10 x 10 cm ■ 2.5 x 5 cm | 5 x 10 cm



CV2

471-V²




CV2

472-V³



CV2

473-V⁴



CV1

461-V²



CV1

462-V³



CV1

463-V⁴



CV1

452-V³



CV2

454-V³



CV2

453-V⁴




CV1

301-V¹




CV1

302-V¹



CV1

303-V¹




CV1

304-V¹




CV2

305-V¹



CV2

306-V¹



CV2

307-V²



CV1

320-V⁴



CV1

361-V¹



CV1

362-V¹



CV1

363-V²



CV1

323-V¹



CV1

324-V¹




CV1

325-V²




CV1

329-V¹



CV1

330-V¹



CV1

332-V²



CV1

402-V¹



CV1

406-V²



CV1

412-V¹



CV1

403-V¹




CV1

407-V²



CV1

413-V¹



CV1

404-V²




CV2

408-V²




CV1

414-V²



CV1

405-V³




CV2

409-V³



CV2

416-V³




CV1

326-V¹



CV1

327-V²



CV1

328-V³



CV2

335-V¹




CV1

336-V¹




CV2

337-V³




CV1

338-V¹




CV1

339-V²



CV1

340-V³



CV1

426-V¹




CV1

421-V¹



CV2

431-V¹



CV2

427-V¹



CV1

422-V¹




CV2

432-V²



CV2

428-V²




CV2

423-V²




CV2

433-V³



CV1

429-V³



CV2

424-V²



CV1

425-V³




CV 2

351-V¹




CV 2

357-V¹



CV 2

352-V¹



CV 2

358-V¹



CV 2

353-V⁴



CV 2

359-V³



CV2

381-V¹



CV2

387-V¹



CV2

382-V¹




CV2

388-V¹



CV2

383-V²




CV2

389-V³



CV2

384-V³



CV2

390-V⁴