

BENCHMARK PINE



Highly durable cladding & decking with beautiful knots



VISIBLE KNOTS

Showcasing the natural beauty of pinewood



THERMALLY MODIFIED WOOD

Thermally modified wood is more durable with a lower moisture content.



DURABILITY

Thermory's thermo-ash cladding has the highest available durability class



SUSTAINABLE

Wood sourced from sustainable forests with chemical-free modification

1. Thermo Pine Cladding Panels 115x20 / 140x20 / 92x20

Available profiles

C1



C3



C32



C30



C92



Compatible with hidden clip

C26



C4



C11



UYS



2. Thermo Pine Cladding & Decking Panels 115x26 / 140x26 / 92x26

Available profiles

D4



D30 SG



Compatible with hidden clip



D30



C8



D3-2



CAR8



3. PERSCAPE

Thermo Pine Architectural & Pergola elements

3.1 Post

105mm x 105mm x 2.8mtr / 3.0 mtr / 3.3mtr



3.2 Tie Beam

140mm x 42mm x 3.0mtr - 5.4mtr



3.3 Beam 90

90mm x 42mm x 3.0mtr - 5.4mtr



3.4 Beam 68

68mm x 42mm x 3.0mtr - 5.4mtr



3.5 Micro Beam

42mm x 42mm x 3.0mtr - 5.4mtr



3.6 C7

68mm x 26mm x 3.0mtr - 5.4mtr



3.7 Beam 135

135mm x 36mm x 3.0mtr - 5.4mtr



4. BENCHMARK RADIATA PINE



Highly durable, beautifully knot-free cladding



KNOT FREE

An even, aesthetically pleasing look and feel



THERMALLY MODIFIED

Thermally modified wood is more durable with a lower moisture content



VERY DURABLE

Thermory's radiata pine cladding is rot resistant 15+ years



SUSTAINABLE

Wood sourced from sustainable forests with chemical-free modification

4.1 CAR3

138mm x 20mm x 2.4mtr-5.4mtr



4.1 CAR3

138mm x 20mm x 2.4mtr-5.4mtr



4.2 C1

138mm x 20mm x 2.4mtr-5.4mtr



5. BENCHMARK THERMO ASH



Knot-free cladding with the highest available durability class



VISIBLE KNOTS

Showcasing the natural beauty of pinewood



THERMALLY MODIFIED WOOD

Thermally modified wood is more durable with a lower moisture content



DURABILITY

Thermory's thermo-ash cladding has the highest available durability class



SUSTAINABLE

Wood sourced from sustainable forests with chemical-free modification




5.1 C9

132mm/112 x 20mm x 800mm-1500mm

Suitable for Decking & Cladding



Compatible with hidden clip



With End-matching
Perfect Finishing
Reduces waste, saves expenses

5.2 CAR8

130mm x 26mm x 800mm-1500mm

Suitable for Decking & Cladding



6. INTERIOR

by THERMORY

TIMELESS,
EYE-CATCHING.
MODERN WALL
PANELS AND
FLOORS FOR
YOUR INTERIOR

Wall panels and floors



THERMALLY MODIFIED WOOD

The selection includes thermally modified wooden products



STABILITY

Dimensionally stable in changing weather conditions



ENDLESS COMBINATIONS

An unbeatable range of wood species, profiles, and finishes



DURABILITY

Highest available durability class for real wood



SUSTAINABLE

Responsibly harvested and chemical-free modification



INDUSTRY EXPERTS

Delivering superior quality and unrivaled beauty for over 20 years



6.1 STS4

Suitable for ceilings, soffits, wall panelling & High humid areas



6.1a

Thermo Aspen STS- Clean / No knots

15mm x 68mm x 1500-3000mm

6.1b

Thermo Alder STS - Few knots

15mm x 68mm/90mm x 1500-3000mm

6.2 KYTE

Suitable for ceilings, soffits, wall panelling & High humid areas



6.2a

Thermo Aspen KYTE- Clean / No knots

15mm x 60mm x 1500-3000mm

6.2b

Thermo Alder KYTE - Few knots

15mm x 60mm/87mm x 1500-3000mm

6.3 KYTE S

Suitable for ceilings, soffits, wall panelling & High humid areas



6.3a

Thermo Aspen KYTE S- Clean / No knots

15mm x 60mm x 1500-3000mm

6.3b

Thermo Alder KYTE S- Few knots

15mm x 60mm/87mm x 1500-3000mm

6.4 VIRE

Suitable for ceilings, soffits, wall panelling & High humid areas



6.4a

Thermo Aspen VIRE- Clean / No knots

15mm x 69mm x 1500-3000mm

6.4b

Thermo Alder VIRE - Few knots

15mm x 69mm/89mm x 1500-3000mm

6.5 SRP

Suitable for ceilings, soffits, wall panelling & High humid areas



6.5a

Thermo Aspen SRP - Clean / No knots

15mm x 60mm x 1500-3000mm

6.5b

Thermo Alder SRP - Few knots

15mm x 90mm x 1500-3000mm

6.6 SHP

Suitable for ceilings, soffits, wall panelling & High humid areas



6.6a

Thermo Aspen SHP - Clean / No knots

15mm x 65mm x 1500-3000mm

6.6b

Thermo Alder SHP - Few knots

15mm x 65mm/90mm x 1500-3000mm

Finishing and Maintenance products

7. COATINGS



Available stains



Cypress



Natural /
Transparent



Chestnut Brown



Burnt Red

PERSCAPE WATER BASED COATINGS
SUITABLE FOR EXTERIOR
VOC FREE
MADE IN EUROPE
EASY TO APPLY & EASY TO MAINTAIN