

Welspun<sup>®</sup>  
FLOORING

# Meander

---

*Step into Nature's Grace*




# Meander

Introducing our Meander Carpet Collection, where the calming essence of nature meets your floors. Inspired by the graceful curves of winding rivers and green landscapes, each carpet evokes the tranquil beauty of a leisurely stroll through the forest. With earthy hues and soft, organic textures, our collection invites you to immerse yourself in the peaceful rhythms of the natural world. Transform your space into a sanctuary of serenity with our Meander Carpets, where every step connects you with the tranquility of nature.




RED ACCENT  
CTY00212



RED TRANSITION  
CTY00218



MEDIUM GREY  
CTY00204



BLUE ACCENT  
CTY00211



BLUE TRANSITION  
CTY00217



LIGHT GREY  
CTY00203




VIOLET ACCENT  
CTY00213



VIOLET TRANSITION  
CTY00219



MEDIUM GREY  
CTY00204




GREEN ACCENT  
CTY00208




GREEN TRANSITION  
CTY00214



LIGHT GREY  
CTY00203



PURPLE ACCENT  
CTY00209



PURPLE TRANSITION  
CTY00215



LIGHT GREY  
CTY00203



DARK BROWN  
CTY00207



LIGHT BROWN  
CTY00206




YELLOW ACCENT  
CTY00210



YELLOW TRANSITION  
CTY00216



LIGHT GREY  
CTY00203




BLUE ACCENT  
CTY00211




LIGHT GREY  
CTY00203

The images used are for illustration purpose only. The actual product appearance may vary.



**GREEN ACCENT**  
CTY00208





**GREEN TRANSITION**  
CTY00214



**LIGHT GREY**  
CTY00203

MONOLITHIC





RED ACCENT  
CTY00212





RED TRANSITION  
CTY00218




MEDIUM GREY  
CTY00204

MONOLITHIC





PURPLE ACCENT  
CTY00209




PURPLE TRANSITION  
CTY00215



LIGHT GREY  
CTY00203

MONOLITHIC



The images used are for illustration purpose only. The actual product appearance may vary.



**YELLOW ACCENT**  
CTY00210




**YELLOW TRANSITION**  
CTY00216



**LIGHT GREY**  
CTY00203

**ASHLAR**





VIOLET ACCENT  
CTY00213




VIOLET TRANSITION  
CTY00219




MEDIUM GREY  
CTY00204

MONOLITHIC



The images used are for illustration purpose only. The actual product appearance may vary.




PURPLE ACCENT  
CTY00209



LIGHT GREY  
CTY00203


ASHLAR





MEDIUM GREY  
CTY00204


ASHLAR





LIGHT BROWN  
CTY00206

ASHLAR




The images used are for illustration purpose only. The actual product appearance may vary.



DARK BROWN  
CTY00207

ASHLAR



## PRODUCT SPECIFICATION

<b>Collection Name</b>	<b>Meander</b>
<b>Machine Gauge</b>	1/10 loop infinity
<b>Yarn</b>	PET
<b>Size (CM)</b>	50x50
<b>Pile Height</b>	3.0-3.2 mm
<b>Total Thickness</b>	5.0-5.5 mm
<b>Density</b>	4000
<b>SPI</b>	10.3
<b>Tufting Weight (Oz)</b>	475/14 oz
<b>Backing System</b>	Welspun Ecolite or Comfortile
<b>Indicates</b>	+/-5%


## TEST REPORT SUMMARY

Test Name	Method	Test Name	Method
Delamination	ASTM D 3936	Static Electricity	AATCC 134-1996
Tuft Bind	ASTM 1335-67	Anti Static	ANSI/ESD S 7.1
Dimensional stability	ASTM D 7570	Castor Chair	DIN 54324
Pile weight	ASTM D 5848-07	Hexapod	ASTM D 5252-15
Pile density	ASTM D 5848-07	Static Coefficient	ASTM C 1028
Total thickness	ASTM D 6988-08	Dimensional stability (Aachen test)	DIN-STD-54318/ITTS-004
Pile height	ASTM D 5823-05a	Anti Soil	ASTM D 6540-05
Gauge	ASTM D 5793-13	Shampoo Fastness	AATCC 138
Tuft density	ASTM D 5848	Water Fastness	AATCC 107
Flammability (Pill Test)	ASTM D 2859	Velcro-Loops	ITTS 112
Flammability (Radiant Panel)	ASTM E 648-06	Heavy Traffic test (Walk test)	ASTM 6119-03
NBS Smoke Density (Flaming)	ASTM E 662-06	Sound transmission	ASTM C 423-17
Lightfastness	AATCC 16 E	Sound Absorption	ASTM C 423-17
Colour fastness to Ozone	AATCC 129	Static Loading	ISO 015/3415
Colour fastness to NO <sub>2</sub>	AATCC 164-2008	Green Carpet (VOC)	ASTM D 5116
Crocking Dry and Wet	AATCC 165-2008	Acoustic	BS EN ISO 354
Stain fastness	AATCC 175-2008/ITTS 002	Thermal Resistance	ASTM C 518

## CARPET TILES ADVANTAGES



Easy To Install



Stain Protect



Fade Resistant



Less Lead Time



Offers Sound Absorption



Reduce Wastage During Installation



Made in India

## TRADEMARKS & TECHNOLOGIES



### Welspun Ecolite™

Welspun Ecolite™ backing are made up of lightweight PVC that not only reduces the overall weight significantly but ensures a 40% lower environmental footprint than traditional carpets. Despite that, this backing retains the highest performance standards.



Now also available with Healthy Floor™ (Optional).

We also have carpet tile options with antiviral properties. Tested and certified by ResInnova Labs, we are India's first antiviral carpet tiles. It kills 99.68% of human coronavirus due to a special coating of silver iron & titanium oxide. We make healthy floors.



### Comfortile™M (Optional).

With Comfortile™ backing, our tiles come with a customized felt-back that not only offers great underfoot comfort but also sound absorption. Comfortile™ provides extra levels of protection and support for high levels of acoustic and ergonomic comfort.

## CERTIFICATION

