


# PlankKit™



The Shape of Versatility

## About Us



- **1 in 5** Towels;  
**1 in 9** Sheets in US
- **21,000+** Employees |  
**29%** Women
- **21,000+ stores:** Highest distributed Home Textile brand
- **4** Manufacturing Locations
- **47** Patented Technologies
- ESG (DJSI): Global Rank: **4**,  
India Rank: **1**
- **Women Owned** Businesses
- Presence in **60+** countries



BATH



BED



FLOORING



ADVANCED TEXTILE

## Our Product Categories





## Innovative Solutions for Every Home

Transforming homes with comfort, quality, and love, from every household to every heart. With a deep commitment to touching the lives of every individual, we aim to bring comfort, quality, and innovation to homes worldwide. From cozy bedding to luxurious bath linens to aesthetically designed and technically sound flooring solutions, our products offer a sense of well-being and happiness. With a strong emphasis on customer centricity, innovation, and technology, we strive to make every house a home, nurturing relationships and leaving a lasting impression on every individual we serve.

Welspun Flooring is a fully integrated division of Welspun Living, specialising in both soft and hard flooring solutions. Our comprehensive range of flooring products includes carpet tiles, wall to wall, and artificial turf. With our unwavering focus, we ensure the manufacturing of top-quality flooring options to meet diverse customer needs.

We take pride in being the only company to produce both hard and soft flooring solutions in a single LEED-certified plant. Our product range offers hassle-free installation within a day. Located in Telangana, our fully integrated Greenfield facility boasts an annual capacity of 27 million sq mt, serving the home, hospitality, and commercial sectors.

## Promoting Sustainable Living

At Welspun Flooring Limited, our vision is to harmoniously blend all elements of the biosphere and empower individuals to reimagine their lives through sustainable growth.

We strive to achieve this by seamlessly integrating sustainable practices into our operations, systems, and processes, ensuring that we stay in equilibrium with the triple bottom line.

#1 Home Textiles supplier to the USA, by Home Textiles Today (HTT)

Wel-Trak™ Traceability Solution with Blockchain: 1st in the industry

Responsible water management and minimal environment impact with Zero Liquid Discharge (ZLD) facility

## our Focus



### Zero Waste

- Embrace a regenerative economy, making circularity a cornerstone of our operations.
- Waste program demonstrating our commitment to waste reduction
- 99.96% of our waste is recycled or reused, successfully diverted from landfills.



### Reduce, Reuse, Re-Produce, and Recycle (4R)

- We prioritise the 4Rs - Reduce, Reuse, Recycle, and Recover
- We have a closed-loop system that recycles and reuses all liquids, achieving zero liquid discharge



### Zero Non-renewable energy

- Commitment to 100% Renewable energy in operation by 2030
- Achieved 93% of Renewable energy in operation
- 100% of Steam and Electricity used from renewable sources



### Zero Emission

- Regular energy and emissions assessments to ensure continuous improvement
- Achieved Zero Scope 2 emissions across operations
- Committed to achieving Net Zero emissions by 2040 across value chain

# Plankit™

Introducing Plankit, the ultimate game-changer in home décor aesthetics! Experience a complete and refreshing transformation for your living space. With its incredible features, including customizable laying patterns and versatile multi-surface application, Plankit brings a whole new level of excitement to your home. But that's not all! With the one-day floor makeover, homeowners can now enjoy the flexibility to upgrade their home décor in a quick and easy way. Prepare to be amazed as this innovative product from Welspun Flooring showcases our unwavering commitment to customer satisfaction and our relentless pursuit of innovation.

*Step Up your home décor with Plankit!*

## Application Areas

-  KITCHEN
-  LIVING ROOM
-  BEDROOM
-  HOTEL ROOM
-  RECEPTION
-  MEETING ROOM
-  LOBBY
-  RETAIL SHOP
-  CAFETERIA
-  LIBRARY
-  CLINIC
-  CLASSROOM

## Application Focus

-  FLOORS
-  WALLS
-  FURNITURE



*Versatility* you can stand on.

# WHY Plankit™ PRODUCTS?


With Plankit, elevate your home décor to a whole new aesthetic, allowing you to express your unique style in every space. Experience unparalleled versatility, enabling you to effortlessly upgrade your home with ease.

PARAMETERS	Plankit™	LVT	WOODEN FLOORING
Anti-Fade	✓	✗	✗
Higher Abrasion	✓	✗	✗
Ease of Multi-surface application	✓	✓	✗
Ease of Multi-Laying pattern	✓	✓	✗
No affect by changes in moisture & temperature	✓	✓	✗
Increased Stability & Durability	✓	✗	✗
Waterproof	✓	✓	✗

\*T&C Apply

## Structure


Plankit is the perfect choice for those who crave long-lasting durability, waterproofness, and resistance against shattering, scratches, and stains. It seamlessly combines the strength of polymer and stone with a flexi core, giving you the best of both worlds. With its versatile multi-laying patterns and multi-surface applicability, you can effortlessly achieve the desired look while relishing in its timeless beauty for years to come.



## Features




# Installation Materials and Tools Needed



## Installation Instructions

### 1. INTRODUCTION


Floor coverings designed & produced by Welspun Flooring, as Plankit, are interior floor covering products, for a glue down application.



### 2. PRIOR TO INSTALLATION


#### • Storage:

Plankit must be stored on a flat surface in a dry and ventilated area. Do not store floor covering (Plankit) in very cold (less than 0°C) or very warm (more than 40°C) or humid areas.




#### • Inspection:

Despite the care and rigor during production, a visual inspection of the materials before installation is recommended such as, batch number, reference, colour, design, and for differences or defects, to prevent from installation of false materials.



In case any visual faults are detected on materials, do not install the faulty products and contact your local dealer to before proceeding further.



In any case store the boxes laying down flat and do not store standing up or leaning boxes on the wall.


#### • Acclimation:

Plankit requires a proper acclimation process. Welspun recommends leaving the materials at the installation site for at least one day at room temperature to ensure a perfect installation. The same temperature and time are also necessary for adhesives.




### 3. SUITABLE SUBFLOORS

a. Assessment of the subfloor suitability is the prerogative of the installation agency.




b. Should Plankit be laid out on unsuitable subfloor, it could lead to quality issues beyond Welspun's control or liability.

- Any floating floor coverings previously installed must be removed completely.




- The floor must be cleaned by a soft-bristle broom, a dry microfiber mop, vacuum cleaner or damp mop to remove dust, contamination, and/or foreign substances that might disturb proper installation.



- Floor undulation must be under 3 mm per 10 foot length.

- Humidity needs to be checked at five random spots in an area of 100 square ft., and the average value should be less than 2.5% CCM (and less than 75% RH).



### 4. ADHESIVES SELECTION


Welspun recommends usage of quality adhesives for health and safety rules for workers and which are eco-friendly. The adhesives are synthetic rubberized solvent-based adhesive which should be compatible with PVC based product.



### 5. INSTALLATION

Plankit installation must adhere to standard requirements.

- Start installation from a corner (right-hand side recommended) and proceed towards the opposite wall.




- Common installation methods based on product dimensions include 1/3 or 1/2 step installation, and Herringbone for Plankit.

The floor must be cleaned by soft-bristle broom, a dry microfiber mop, vacuum cleaner or damp mop to remove dust, contamination, and/or foreign substances that might disturb proper installation.



Spread the correct amount of adhesive evenly over the subfloor and the backside of Plankit. Allow it to tack off (open time ranges from 5 to 20 minutes, depending on the environment and amount of glue) until it reaches its initial bonding strength.



- Always follow the adhesive manufacturer's instructions.

## Care and Maintenance for Plankit™ Flooring Product

**REGULAR CLEANING:** Use a soft-bristle broom, a dry microfiber mop, or a vacuum cleaner with a soft brush attachment to remove loose dirt, dust, and debris. Regular cleaning prevents abrasive particles from scratching the surface of the Plankit flooring.



**DAMP MOPPING:** When damp mopping, use a well-wrung mop and a pH-neutral vinyl floor cleaner. Avoid using ammonia-based or abrasive cleaners, as they can dull the finish or leave a residue.

**SPILL CLEANUP:** Promptly clean up spills using a soft cloth or sponge. Avoid using harsh chemicals or abrasive scrubbers, as they can damage the floor's surface.



**AVOID STANDING WATER:** While Plankit is water-resistant, exposure to standing water can damage the floor. Immediately wipe up any spills or standing water using a dry cloth or mop. Do not allow water to seep into the seams or edges of the flooring.

**FURNITURE PROTECTORS:** Place felt pads or furniture glides under the legs of heavy furniture to prevent scratching and indentation marks on the Plankit surface. When moving furniture, lift it rather than dragging it across the floor.



**DOORMATS AND RUGS:** Use doormats at entryways to trap dirt, grit, and moisture from shoes before they reach the Plankit flooring. In high-traffic areas or under furniture, consider using area rugs or mats for additional protection against wear and tear.

**AVOID SHARP OBJECTS:** Avoid dropping or dragging sharp or heavy objects across the Plankit flooring, as they can cause scratches, gouges, or punctures. Use caution when moving items to prevent damage to the floor's surface.


**ROUTINE MAINTENANCE:** Regularly inspect the Plankit flooring for signs of wear, damage, or loose tiles. Replace any damaged or worn tiles promptly to maintain the appearance and integrity of the floor. Follow the manufacturer's guidelines for repairs and replacements.




**PROTECT FROM SUNLIGHT:** Direct sunlight can cause fading or discoloration of Plankit flooring over time. Use window coverings such as blinds or curtains to minimize exposure to sunlight, especially in areas with large windows or glass doors.

## Design *Versatility*


Utilize Plankit well-balanced size options to make an immediate impact with simple, timeless patterns. Traditionally used for flooring, plank tiles can be arranged in various patterns to create a unique and personalized design. These versatile tiles are also perfect for wall applications, delivering a seamless and cohesive look across different surfaces.




CHECKERBOARD




FRAMING LAYOUT



STACK BOND



DIAGONAL PLANK PATTERN




STAIR STEP PLANK PATTERN



HERRINGBONE



DOUBLE HERRINGBONE



H PLANK PATTERN



RANDOM LAY



# Shades of Possibility

Every shade holds a quiet rhythm, a meeting of light and texture that shifts with every glance.

A quiet dialogue between color and texture, where each hue holds a memory and every grain shapes a feeling.

Some speak in warmth, others in calm restraint, yet together, they create a language that turns spaces into stories, and stories into places you never want to leave.





HOTEL



*Warmth* flows through every surface,  
shaping a haven for living.



COASTAL FOG | HF001840



WALLS



*Vertical* expressions of design  
that transform emptiness into character.



SERENE DOVE | HF001843





FOYER



*Corridor* tells a story of  
balance, beauty, and calm.


AMERICAN BRAWLY | HF001831

COASTAL FOG | HF001840

This images is for illustration purposes only. The actual product appearance may vary.



KITCHEN AREA



*Flavors* begin in spaces designed  
for rhythm and ease.



CORNISH OAK HONEY | HF001835

This images is for illustration purposes only. The actual product appearance may vary.






BEDROOM

*Calmness* settles beneath every step,  
wrapping the space in quiet comfort.

CORNISH OAK | HF001832

This images is for illustration purposes only. The actual product appearance may vary.





BEDROOM



*Surfaces* that carry the rhythm  
of everyday life with quiet grace.



AMERICAN BRAWLY | HF001831



KIDS PLAY ROOM



*Imagination* runs free,  
where play builds worlds of wonder.



PROTO OAK | HF001841



## CLASSROOM



*Knowledge* grows in spaces built  
to endure questions and discovery.



PROTO OAK | HF001841



COASTAL FOG | HF001840



GAMING ROOM



*Excitement* pulses through every corner, designed for play in motion.




COTTAGE OAK | HF001839

This images is for illustration purposes only. The actual product appearance may vary.





GYM\*



*Strength* is built from the ground up,  
supporting every move with resilience.



AMERICAN BRAWLY | HF001831




CORNISH OAK | HF001832

\*Not recommended for usage involving heavy weight drops.

This images is for illustration purposes only. The actual product appearance may vary.



YOGA ROOM



*Tranquility* settles like a whisper,  
wrapping the space in calm.



EMORY OAK | HF001842




PROTO OAK | HF001841





PET HOUSE



*Resilient* floors  
for restless feet and wagging tails.



COASTAL FOG | HF001840



SINOPER | HF001833

This images is for illustration purposes only. The actual product appearance may vary.





CLINIC



*Purity* echoes through design,  
offering reassurance in stillness.



PROTO OAK | HF001841



EMORY OAK | HF001842





HOSPITAL



*Resilience* anchors spaces  
where recovery takes root.



AMERICAN BRAWLY | HF001831




SESSILE OAK | HF001834

This images is for illustration purposes only. The actual product appearance may vary.





*Family* life unfolds here,  
where memories are made and shared.



*Harmony* rests in every detail,  
creating a space to belong.



*Serenity* unfolds the night,  
wrapping every moment in ease.



SERENE TRUFFLE | HF001836



*Productivity* thrives when  
comfort and function align.



CORNISH OAK | HF001832



SERENE TRUFFLE | HF001836

## Different Shade Combinations

PROTO OAK | HF001841  
COASTAL FOG | HF001840




PROTO OAK | HF001841  
COASTAL FOG | HF001840

SINOPER | HF001833  
COASTAL FOG | HF001840



PROVINCIAL OAK | HF001837  
PROVINCIAL OAK AMBER | HF001838

PROVINCIAL OAK | HF001837  
PROVINCIAL OAK AMBER | HF001838



SERENE TRUFFLE | HF001836  
CORNISH OAK | HF001832

## Different Shade Combinations

PROVINCIAL OAK | HF001837  
EMORY OAK | HF001842



CORNISH OAK HONEY | HF001835  
EMORY OAK | HF001842

AMERICAN BRAWLY | HF001831  
SESSILE OAK | HF001834



*Twilight's* calm finds form in  
patterns that soothe the senses.

SINOPER | HF001833

## Different Shade Combinations

COASTAL FOG | HF001840  
SERENE TRUFFLE | HF001836



SINOPER | HF001833  
COASTAL FOG | HF001840  
EMORY OAK | HF001842  
SERENE DOVE | HF001843

CORNISH OAK | HF001832  
CORNISH OAK HONEY | HF001835  
PROTO OAK | HF001841  
PROVINCIAL OAK | HF001837



PROTO OAK | HF001841  
COASTAL FOG | HF001840

CORNISH OAK | HF001832  
SERENE TRUFFLE | HF001836



CORNISH OAK | HF001832  
SERENE TRUFFLE | HF001836



## Different Shade Combinations

EMORY OAK | HF001842  
SERENE DOVE | HF001843



SINOPER | HF001833  
COASTAL FOG | HF001840  
PROTO OAK | HF001841




SESSILE OAK | HF001834  
COTTAGE OAK | HF001839  
COASTAL FOG | HF001840



*Comfort* finds form in the harmony of  
wood and light.



COTTAGE OAK | HF001839



*Beneath* little feet, a cozy corner,  
a good book, and a world of imagination.



PROVINCIAL OAK | HF001837



PROVINCIAL OAK AMBER | HF001838

Fresh *Pairing* Options






PlankKit™

## Designs

Six dynamic patterns come together to form a beautifully unpredictable surface.

AMERICAN BRAWLY | HF001831



CORNISH OAK | HF001832



SINOPER | HF001833



SESSILE OAK | HF001834



CORNISH OAK HONEY | HF001835



SERENE TRUFFLE | HF001836



PROVINCIAL OAK | HF001837




PROVINCIAL OAK AMBER | HF001838



PROTO OAK | HF001841



EMORY OAK | HF001842



COTTAGE OAK | HF001839



COASTAL FOG | HF001840



SERENE DOVE | HF001843




# Technical Characteristics

TEST DESCRIPTION	TEST METHOD	TEST RESULT
Dimensional Stability	ISO 23999	Machine Direction : 0.4" Cross Direction : 0.12"
Peel Strength	Internal standard WI/SP/Q/28	Machine Direction-92.4 N/50mm Cross Direction-95.7 N/50mm
Micro-Scratch Resistance (A & B)	EN 16094	MSR-B2 Rating in 160 Cycles
Castor Chair Test	ISO 4918	25000 Cycles Pass
Phthalates	CPSC-CH-C1001-09.4 with GS-MS Analysis	Not detected
VOC	1) Volatile Organic Compound (VOC), 2) Formaldehyde, 3) 1,3 Butadiene. All the value are within the limit as per the ISO 16000-9:2006 Standard.	Pass
Surface Burning Characteristics	ASTM E84-23	1. Class B for flame spread index. 2. Class A for smoke developed index.
Cleanability-Stain Resistance	NALFA 3.4	9 Rating
Wear Resistance	NALFA 3.7	8500 Cycles (with 0.3 mm Wear Layer)
Thickness Swell	NALFA 3.2	0%
Flexibility of Resilient Flooring Materials	ASTM F137	Passes 25 mm Mandrel
Residual Indentation	ASTM F3261	0.00 inch

## Product Specification

Thickness	2 mm
Wear Layer Thickness	0.3 mm
Tile/Plank Sizes (Inch)	6" x 36"



## Trademarks & Technologies



# Our Products are compliant with *Global Standards*



Attaining Gold certification denotes that a building has excelled in its sustainable design and operation, securing over 60% of the LEED points. This prestigious level is indicative of a project's comprehensive adoption of best practices in sustainability.



The Zero Waste Certification is a program that helps companies to minimize the amount of waste they send to the landfills.



The certification evaluates criteria such as energy efficiency, water conservation, waste reduction, and overall sustainability, leading to different rating levels from "certified" to "platinum plus"



(CRI) created Green Label Plus to identify carpets and adhesives that are tested by an independent, certified laboratory and meet stringent criteria for low chemical emissions.



GreenPro is a Type - 1 Ecolabel which enables the end users in the building sector and manufacturing industries to choose right products, materials and technologies for reducing the environment impacts during the construction, operation and maintenance of their buildings and factories.



The EPD provides information to buyers about a product's impact on the environment, such as global warming potential, smog creation, ozone depletion and water pollution.



Supply chain sustainability (SCS) is a holistic view of supply chain processes, logistics and technologies that affect the environmental, social, economic and legal aspects of a supply chain's components.



A global program by UL Solutions that certifies products for low chemical emissions, ensuring healthier indoor air quality and protecting human health



FloorScore® is the most recognized Indoor Air Quality (IAQ) certification standard for hard surface flooring materials, adhesives, and underlayments.



Oeko-Tex certifies non-hazardous end-products and all of their components. Products that carry the Standard 100 label have been tested and proven free of harmful levels of toxic substances.



SGBC certification is developed by a broad group of industry experts and is widely recognised for its comprehensive coverage of sustainability criteria that has been developed by the building industry, for the building industry.



The OEKO-TEX® StEp certification stands for 'Sustainable Textile & Leather Production'. It stands for socially acceptable and safe working conditions, and sustainable production throughout the textile and leather industry's supply chain. OEKO-TEX® StEp certifies that the production sites and processes as well as employees' working conditions in the textile supply chain.



Transform any space with PlankIt™  
- where versatility meets style in endless possibilities.



Our PlankIt range is uniquely flexible, allowing you to install them on floors and walls without compromising on aesthetics. This flexibility opens up a world of design possibilities to elevate your interior design.

## Features



Flexible



Scratch Resistant-AC 6



Fire Resistant



Stain Protect™



Five year warranty\*



Multi-laying pattern



Multi-surface applicability



Laid over existing tiles without any breakage



Weather Proof



Green Product



Water Proof



Termite Proof



Anti Fade



Installation in less than a day\*



Dust Free installation



Anti Skid

