



# contour

wall panels & louvers

**/uno**



9.75 x 115 x 3050mm

form meets design

# architecture

improving your design



**not just walls. stories in contour.**

some walls stand still—  
others breathe.

presenting a collection that curves, glides, and whispers luxury:

**contour wall panels.**

not assembled. sculpted.

where form waltzes with design, and shadows slip like silk across carved waves.

each panel— a rhythm paused mid-motion, an echo of elegance in your space.

we don't cover surfaces— **we compose them.**

crafted from handpicked materials, these panels don't shout—they linger.

a soft presence, like the memory of scent. for those who crave texture that speaks.

for spaces meant for poetry in groove and grain.

this isn't design.

**it's a performance on your walls.**

## product overview

### features

- high quality materials
- range of textures, colors & designs
- easy to install
- low maintenance

### benefits

- adds a touch of luxury & sophistication
- enhanced aesthetics
- functional solution for wall/ceiling finishing
- ideal for both residential & commercial

### maintenance


- regular cleaning with a dry cloth
- avoid using abrasive or acidic cleaners
- avoid exposure to extreme moisture

### Application Areas

- walls | ceiling | soffits | pillars | furniture | doors
- residences | offices | retail | restaurants | hotels

## technical data

|                |                       |              |  |
|----------------|-----------------------|--------------|--|
| material       | MDF                   | surface      | PVC Foil                                   |
| panel size     | 115*3050 mm           | decor        | Wood Grains<br>Solids<br>Stone<br>Concrete |
| thickness      | ~9.75 mm              | installation | Nail Down   Adhesive                       |
| area/panel     | ~3.77 ft <sup>2</sup> |              |  |
| coverage/panel | ~3.35 ft <sup>2</sup> |              |  |



## why choose contour wall panels?



### sculpted aesthetics

each panel is a composition in motion—flowing lines that bend light and shadow, creating a living surface. contour panels bring an element of visual rhythm, transforming flat walls into sculptural features that breathe with grace and style, making every glance feel like a moment of discovery.

---

### premium materials

crafted with precision from high-grade materials, contour panels promise lasting beauty and structural integrity. every panel carries the richness of texture and depth, designed to age gracefully. it's more than just luxury—it's the confidence of quality you can see, feel, and trust over time.

---

### statement-making

in a world of sameness, contour panels stand apart. whether it's a bold feature wall or a subtle backdrop, they speak volumes without noise. perfect for spaces that deserve personality, presence, and that one unforgettable detail that sparks conversation and sets the tone.

---

### versatile design

modern, classic, minimal, or eclectic—contour panels adapt with effortless charm. their neutral palette and flowing forms complement a range of styles and settings, from residential sanctuaries to bold commercial interiors. flexibility never looked this refined or felt this easy.

---

### effortless elegance

true elegance whispers. contour panels deliver that delicate balance—sophistication without ostentation. with every curve and contour, they invite calm, elevate mood, and create a quiet kind of luxury that stays with you. it's not just about looking good—it's about feeling right.

**walls.**

---





FORM MEETS  
DESIGN

# collection guide.



**83016**  
english walnut



**82008**  
nordic walnut



**82011**  
bisque elm




**82007**  
bleached walnut




**82009**  
cumaru

**the options  
are just  
endless.**



**82012**  
armani grey



**83003**  
concrete





**83001**  
sandstone fawn



**83014**  
armani white



**walls.**



**81010**  
white



**82001**  
champagne



**82002**  
cashew apple



**83019**  
fog grey





**83020**  
mist green



**82005**  
twilight blue



**pick your  
color**



**83020**  
mist green




**83019**  
fog grey



**82005**  
twilight blue




**82002**  
cashew apple



**81010**  
white




**82001**  
champagne



**82008**  
nordic walnut




**82007**  
bleached walnut



**82009**  
cumaru




**82011**  
bisque elm



**83016**  
english walnut






**82012**  
armani grey



**83001**  
sandstone fawn



**83003**  
concrete



**83014**  
armani white



### general characteristics


contour is a decorative product for walls & ceilings, composed of mdf and a decorative foil.

dimensions - 3050 x 115 x ~18 mm | area per panel: 3.77 ft<sup>2</sup> | packaging - 6 panels/pack

| Characteristics  | Norm                            | Value                    |
|--|---------------------------------|--------------------------|
| Core   | -                               | MDF                      |
| MDF Density  | IS 12406 2021                   | >750 kgs/m <sup>3</sup>  |
| MDF Moisture Content   | IS 12406 2021                   | 6.98%                    |
| Linear Expansion<br>Thickness Swelling                                       | IS 12406 2021                   | 8% after 24 hrs. soaking |
| Modulus of Rupture   | IS 12406 2021                   | >27 N/mm <sup>2</sup>    |
| Internal bond  | IS 12406 2021                   | >0.75 N/mm <sup>2</sup>  |
| Glue<br><small>*Kleiberit, Germany   Neotherm, Spain</small>                 | -                               | PUR Hotmelt              |
| Glue Heat Resistance<br><small>*Kleiberit, Germany   Neotherm, Spain</small> | -                               | >150°C                   |
| Surface  | -                               | PP/PVC Foil              |
| Foil Thickness   | -                               | 140/160 microns          |
| Peel Strength  | UNE EN ISO 9142:2004<br>Part D5 | 0.50 N/mm                |
| Foil Chemical Resistance   | DIN 68861/1                     | Class 1 C                |
| Abrasion Resistance  | Taber abrasor CS10              | min 400 turns            |
| Foil Light Fastness  | DIN EN ISO 4892-2               | ≥6                       |
| NRC<br><small>[Octave Center Frequency 250-4000 Hz]</small>                  | ASTM C 423                      | 0.6                      |

### maintenance

This product is not suitable for outdoor use. Do not apply on walls or environments with excessive humidity. The cleaning of the product must be done dry or with a cloth slightly moistened with water. Do not use aggressive chemical products that contain alcohol, acetone, ammonia, which can cause significant degradation of the surface. Avoid contact with oily products as it can cause stains on the decoration. Do not expose to temperatures above 50°C (such as radiators, stoves, light bulbs, etc.)



**contour**

form meets design